

Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 3-8 mm

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
85-88	<1,2	<0,7	<1,0	<0,4	<0,4	<0,4

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.

meldgaard

Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com



Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 3-8 mm KNU

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
82-85	<1,5	<0,8	<1,2	<0,5	<0,3	<0,7

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.

meldgaard

Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com



Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 8-16 mm PRI

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
82-85	<1,5	<0,8	<1,2	<0,5	<0,3	<0,7

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.



Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com



Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 8-16 mm SEK

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
90	<4,0	<0,8	<1,2	<0,3	<0,3	<1,0

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.

meldgaard

Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com



Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 16-60 mm PRI

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
90-92	<1,0	<0,35	<0,15	<0,3	<0,3	<0,13

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.

meldgaard

Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com



Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 16-60 mm SEK

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
90	<4,0	<0,8	<1,2	<0,3	<0,3	<1,0

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.

meldgaard

Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com



Aluminium

Recycled from Incinerated Bottom Ash




Fraction: Alu 1-3 mm

Components in %:

My	Si	Fe	Cu	Mn	Mg	Zn
64-70	<1,2	<0,8	<1,0	<0,5	<0,1	<0,7

Advantages:

- Energy & cost savings
- Low carbon footprint
- High performance
- Stable Quality
- Sustainable manufacturing



From waste to high quality circular Aluminium.

meldgaard

Recycling A/S

Contactperson:

Metal Trade Director Britt Rerup
Askelund 10 • DK-6200 Denmark

Phone: +45 52 18 71 99 • Mail: br@meldgaard.com

